Construction Material Processors Association Inc.



PO Box 396, Kilmore Victoria, Australia 3764

Inc. No. A0039304E ABN 85 154 053 129

☎ (03) 5781 0655 **≜** (03) 5782 2021 <u>enquiries@cmpavic.asn.au</u>

18 November 2019
Dr Michelle Delaire
Director, Regulatory Transition Taskforce
Earth Resources
DJPR
1 Spring Street
Melbourne
VIC 3001

Via email: michelle.delaire@ecodev.vic.gov.au

Dear Dr Delaire

COMMENTS ON MINING REHABILITATION PLAN GUIDELINE - CONSULTATION DRAFT

Thank you for the opportunity to comment on the Mining Rehabilitation Plan Guideline – Consultation Draft (Guideline). CMPA would much appreciate the following concerns with the Guideline be addressed.

- The Guideline is said to be a 'living document', however, there is no apparent reference to the legislative requirement for a variation every time the rehabilitation plan is amended.
- There is repetition between the requirements for the work plan and the rehabilitation plan.
- It is very doubtful that there will be any minimisation of regulatory burden.
- ERR will require officers with expertise in rehabilitation and with relevant qualifications.
- The lack of addressing other aspects such as 'plan for rehabilitation' and where 'it is not a substitute for the legislation or regulations' (page 2) limits the usefulness of the Guideline.

I would be happy to discuss my comments.

Yours sincerely

Dr Elizabeth Gibson General Manager

EM/resson